



M.2 Fan SSD Thermal Module


RoHS Compliant

Supported Types

- NVME SSD
- NGFF SATA
- Kingston HyperX Predator M.2 SSD
- Intel SSD6/7
- Compatible with single-sided M.2 2280 SSD
- Samsung 970 EVO/950Pro/960EVO

Specifications

Properties	Unit	M.2 Fan SSD Thermal Module
Heatsink Material	-	Aluminum Alloy
Device Type	-	Compatible with single-sided M.2 2280 SSD
Dimensions L x W x H	mm	70 x 26.4 x 19.5 mm ±1
Weight	g	42
Operating Temperature	°C	0~+75
Cooling Range	°C	15~30
Installation Method	-	Screw
Fan Rated Voltage	V	12
Fan Rated Current	A	0.1
Fan Speed	-	17000RPM±20%
Air Flow	CFM	17
Static Pressure	mmH ² O	4.6
Noise	dB(A)(MAX)	28.3
Fan Pin Connect	Pin	2510-4
Fan Wire Length	mm	400mm±1
Warranty	Year	1




- ① Fan
- ② Heat Sink
- ③④ Thermal Pad (TG-A6200)
- ⑤ Screw*4
- ⑥ Metal Sheet

Installation Guide



Remove the screws from the thermal module, preparing for SSD installation.



Peel off the protective film from the thermal pads.



Attach the heat sink to the front of the SSD (the side with chips).



Tighten the screws to secure the heat sink and metal sheet.



Insert the assembly into the M.2 slot on the motherboard and secure it with screws.



Connect the fan power cable to the 4-pin "FAN" header on the motherboard.

T-Global USA LLC

2880 Zanker Road, Suite 103, San Jose, CA 95134, USA

T +1(669)345-0002 E usa@tglobal-usa.com W www.tglobal-usa.com

Version20
20250925



NOTICE: The information contained herein is to the best of our knowledge true and accurate. Values stated in this technical data sheet represent typical values as not all tests are run on each lot of material produced. All specifications are subject to change without notice. The protective film and release paper do not affect the function of the product. If there is no special requirement, the default depends on T-Global. Since the varied conditions of potential use are beyond our control, all recommendations or suggestions are presented without guarantee or responsibility on our part and users should make their own test to determine the suitability of our products in any specific situation. This product is sold without warranty either expressed or implied, of fitness for a particular purpose or otherwise, except that this product shall be of standard quality, and except to the extent otherwise stated in T-Global Technology's invoice, quotation, or order acknowledgment. We disclaim any and all liabilities incurred in connection with the use of information contained herein, or otherwise. All risks of such are assumed by the user. Furthermore, nothing contained herein shall be construed as a recommendation to use any process or to manufacture or to use any product in conflict with existing or future patents covering any product or material or its use.